

# Hulas Infra Galvanized Coils & Sheets

Innovation for  
enduring roofing,  
cooling, and  
storage solutions.

REQUEST A QUOTE

 015970085 / 9801922220

 sales@hulasinfra.com  hulasinfra.com



**HULAS**  
**INFRA**

जमाना इन्फ्राको

# Introducing Hulas Infra Galvanized Coils & Sheets

**For a dependable & enduring future.**

Hulas Infra's Hot-dip galvanized steel coil offers excellent forming, painting, and welding properties, making it ideal for construction, appliances, automotive, machinery, electronics, and more. With superior quality and competitive pricing, we are your trusted manufacturer and supplier.



## Advantages

**Corrosion resistance:** zinc coating protects against corrosion, offering long-term durability with minimal maintenance.

**Aesthetic:** Excellent surface appearance.

**Formability:** easily bends for parts requiring deep drawing.

**Paintability:** can be painted in various colors.


**Weldability:** compatible with different welding methods.

## Hot Dip Galvanized Steel Coil & Sheets Applications:

**Construction:** roofing, ducts, handrails, partitions, etc.

**Further processing:** coating base plates

**Electric appliances:** refrigerators, washing machines, microwaves, etc.



**Hulas Infra  
Galvanized  
Sheets**

Galvanized  
Steel Coil & Sheets


# Applications

## Pre Engineered Buildings



C Section Purlin




Z Section Purlin



HAT Section Purlin



## Solar Structure



C Channel



Tophat Solar Section



Slotted Strut Channel



## Additional Application



Park Bench



Tool Box



Electrical Cabinet



Safety barrier



Storage Bin



Electrical box



Commercial Kitchen



Lasf



ALC/Duet



Metal Furniture



Cable Tray

# Galvanized Coils & Sheets

## Specification

Hulas Infra Coil and Sheet will be readily available in 210, 240, 310 & 355 grades as per the market requirements.


### GP -120 Coils Product Technical Details

Width	Thickness Range	Coil Id	Grade	Coil Weight
100 MM to 700 MM	0.5 MM to 3.2MM	508-510 MM	210, 240, 310, 355, 410, 550 MPA (Yield Stress)(Grade 1 To 5)	1.0 mT - 7.0 Mt As Per Coil Width

### GP -120 Sheets Product Technical Details

Width (mm)	Thickness Range	Length (mm)	Grade	Grams / MSq (Class of coating)
100 - 700	0.5 (mm) - 3.2 (mm)	As required	ISO 277 / 2018	80/120/270/300

### Hulas Infra Zinc Galvanizing Process



### GP Coil Special Features

Hulas Infra proudly introduces another of its innovative product. Hot/Cold Rolled Galvanized Coil (Narrow Width HR. CR GP Coils). GP Coil will be readily available in 210, 240, 310, and 355 grades as per the market requirement.

-  Resistance to Rusting
-  Recyclable
-  Better surface finish, Glossy, Matt and Spangle
-  No Peel off while bending
-  Up to 300 GSM coating can be delivered

-  Durability
-  High Cohesion and Toughness
-  Maximum Thickness range is 3.2 mm.
-  More Strength to Weight Ratio

# Applications of GP Coils

We are committed to deliver top-quality, durable coils.

Cable Trays

Shutters

Guard Rails

Purlins

Automotive Industry

Solar Structure


Pipes

Window Reinforcement

Furniture

Sheet Metal Components

Stampings



# #JamaanaInfraKo

REQUEST A QUOTE

 015970085 / 9801922220

 sales@hulasinfra.com  hulasinfra.com

